



MISSION CRITICAL COMMUNICATION SOLUTIONS

MTP6000 SERIES TETRA PORTABLES

When the stakes are high, front line officers need to be ready. This means providing access to critical information anytime and anywhere, to enhance their safety and to increase their effectiveness. It also means that officers focus more time on critical activities, and less time on administrative tasks.

The MTP6000 series of TETRA portables lets your front line officers respond to incidents equipped with the collective intelligence of the entire team and the community. With integrated multimedia capabilities, MTP6000 radios provide you with a platform for capturing and sharing critical intelligence across the force. Designed for operation in high stress environments, MTP6000 radios offer unmatched usability and performance, ensuring that front line officers can focus on the job, not the technology.

DIGITAL MEDIA INTELLIGENCE GATHERING

From enhanced intelligence gathering to efficient reporting, the multimedia capabilities of the MTP6000 radios create many possibilities for public safety.

With an integrated high-resolution camera, the first of its kind in a TETRA radio, the MTP6750 makes it easy for law enforcement officers to capture critical crime scene information. Building a case for prosecution will typically involve bringing together digital evidence from a wide range of sources such as agency radio traffic and digital video footage. The MTP6750 attaches meta-data to each image, enhancing investigative capabilities and enabling investigators to reconstruct the events that took place during a critical incident.

FROM INTELLIGENCE TO ADMISSIBLE PHOTOGRAPHIC EVIDENCE

To be admitted in court, photographs must be verified as authentic. The MTP6750 attaches a Digital Fingerprint to every captured image to verify its authenticity. For added security, we've ensured that Digital Fingerprint is tamperproof and that it can be safely stored in the radio.

Capturing images is just the beginning. To simplify the discovery process, photographic evidence needs to be stored and catalogued in a logical and structured manner. With our Photograph and Intelligence Communication System (PICS), you can streamline the process of managing and sharing images in a secure environment.

PROTECT YOUR INVESTMENT FROM THE

Service from the Start* provides complete peace of mind with mission-critical support for your TETRA radios. It offers multi-year coverage against normal wear and tear, fast repair turnaround times and expert telephone technical support; all backed by Motorola's globally integrated services infrastructure, highly qualified support technicians and certified repair facilities. Service from the Start with Comprehensive Coverage provides even greater support with the additional benefit of coverage for internal and external components damaged through accidental breakage. With Service from the Start you're covered - keeping your devices running and in the hands of the user

EFFICIENT DATA SHARING

If you are a paramedic, a fire incident commander or a law enforcement officer, you need access to critical information in the field. For efficient information sharing, MTP6000 radios offer unmatched TETRA data connectivity in a handheld device. As your use of data applications increases, you will also have the assurance of a radio that is hardware-ready to support much faster data transfer speeds using the TETRA Enhanced Data Service (TEDS) -delivering up to 20x faster data connectivity.

A large, vibrant colour display makes the MTP6000 an ideal solution for consuming rich content and viewing multiple lines of text. The high-resolution display also makes it easy to view detailed images and elevates the user experience for mobile applications with visual content.

STREAMLINED DISPATCH AND TASKING OPERATIONS

In an emergency, every second counts. Reaching a successful outcome is about mobilising the most appropriate resources, nearest to the incident. The

optional built-in GPS ensures that dispatchers receive accurate personnel location data, helping to optimise response times.

A suite of information "push" services allows dispatchers to send messages directly to the radio's screen. With the Call Out feature, messages requiring a mandatory acknowledgement can be pushed to the radio's screen, helping to ensure that critical messages get out to selected users.

REDEFINING SAFETY FOR THE EMERGENCY RESPONDER

From intuitive mission critical design and industry-leading audio to unmatched coverage performance, MTP6000 radios have been engineered to deliver uncompromising performance. Rugged and reliable, you can be sure that these radios will stand up to the harshest conditions - and even continue to operate after submersion in water. By enabling emergency responders to stay connected with their team members at all times, these capabilities are vital to keeping them safe.



Not Applicable D Flash keypad backlight navigation key keys ad on activation for multiple functions button with enhanced tactility Button able multi-function rotary switch mable side keys ard (up to 32GB additional capacity) * attery: 1650 mAh iity battery: 2150 mAh h standard battery) 80mm stubby antenna) Hz 8W) & Class 4 (1W) 0 392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical) ible at -130dBm)
O Flash keypad backlight navigation key keys ad on activation for multiple functions button with enhanced tactility Button able multi-function rotary switch mable side keys sard (up to 32GB additional capacity) * attery: 1650 mAh ity battery: 2150 mAh A standard battery) 80mm stubby antenna) Hz 80mm stubby antenna) Hz 8W) & Class 4 (1W) 1392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
navigation key keys add on activation for multiple functions button with enhanced tactility Button able multi-function rotary switch mable side keys ard (up to 32GB additional capacity) * attery: 1650 mAh iity battery: 2150 mAh h standard battery) 80mm stubby antenna) Hz .8W) & Class 4 (1W) 0.392-2 min]; -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
con activation for multiple functions button with enhanced tactility Button abble multi-function rotary switch mable side keys card (up to 32GB additional capacity) * mattery: 1650 mAh mattery: 2150 mAh In standard battery) Bomm stubby antenna) Hz BWW & Class 4 (1W) 1 392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
button with enhanced tactility Button able multi-function rotary switch mable side keys ard (up to 32GB additional capacity) * attery: 1650 mAh city battery: 2150 mAh h standard battery) 80mm stubby antenna) Hz 8W) & Class 4 (1W) 1 392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
ard (up to 32GB additional capacity) * attery: 1650 mAh ity battery: 2150 mAh h standard battery) 80mm stubby antenna) Hz 8W) & Class 4 (1W) 392-2 min]: -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
h standard battery) 80mm stubby antenna) Hz 8W) & Class 4 (1W) 392-2 min); -116dBm (typical) min); -107 dBm (typical)
h standard battery) 80mm stubby antenna) Hz .8W) & Class 4 (1W) 1 392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
80mm stubby antenna) Hz .8W) & Class 4 (1W) 392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
80mm stubby antenna) Hz .8W) & Class 4 (1W) 392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
80mm stubby antenna) Hz .8W) & Class 4 (1W) 392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
Hz .8W) & Class 4 (1W) 1392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
.8W) & Class 4 (1W) 0.392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
.8W) & Class 4 (1W) 0.392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
.8W) & Class 4 (1W) 0.392-2 min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
guaranteed) (typical)
min); -116dBm (typical) min); -107 dBm (typical) guaranteed) (typical)
min); -107 dBm (typical) guaranteed) (typical)
min); -107 dBm (typical) guaranteed) (typical)
guaranteed) (typical)
(typical)
ibio at 130abiii)
RRP
nnr
LD. C. C. (TEDO)
anced Data Service (TEDS) Packet Data (MSPD) ser Service v2.1 Support Security: OTAR/DMO SCK se encryption Encryption Options disable disable disable selve (Security in the content of t
1

^{*} Micro SD card slot not available on models that support hardware-based End to End Encryption.

** Availability subject to future software release.

Authentication		Infrastructure initiated and made mutual	
Air Interface Encryption	Algorithms	by radio terminal TEA1, TEA2, TEA3	
**	•	Class 1 (Clear), Class 2 (SCK),	
Protocols	Security Classes	Class 3 (GCK)	
End to End Encryption		Enhanced End to End Encryption with OT supported through AES128 or AES256 Hardware or SIM based	
DATA SERVICES			
Short Data	STATUS messaging in TMO & DMO SDS messaging in TMO & DMO Short Data applications		
TNP1		Simultaneous operation of Packet Data and Short Data Services over a common Peripheral Equipment Interface (PEI)	
AT Commands	Full Set of AT Commands (including Voice Control)		
Radio Fleet Management	Compatible with Motorola Integrated Terminal Management (iTM) solution		
USER INTERFACE			
Display	Large 2" OVGA with 262K vivid colours Backlight Flip screen, large icons and scalable text font options Screen saver gif image & text (user defined) Universal time display		
Multiple languages			
Keypad lock			
Talkgroup Management Favourite Folders	User friendly, flexible, fast and efficient interface		
Favourite Folders	Up to 3 (to store any favourite talks Customisable to user needs	group)	
Menu	20 user-configurable menu shortcu Menu configuration	ts	
Contacts management	Cellular feature phone style (rapid search)		
Multiple dialling methods	User selects how to dial		
Fast, flexible call response	Private call response to a group ca	II via One Touch Button	
Vibrator and multiple ring tones			
Message manager	Cellular feature phone style (flexible)		
Text message list	20		
Intelligent keypad text input Status list	400 alias messages		
Country/Network Code List	400 anas messages 100		
Scan lists	40 lists of 20 groups		
Covert Mode	U 181		
MAIN VOICE SERVICES			
Full Duplex	TMO	Private, PABX, PSTN	
Half Duplex	TMO	Private, Group, Emergency	
	DMO	Private, Group, Emergency Inter-MNI, Gateway, Repeater	
Dialling	Direct, Scroll, Speed. One touch but	ton/key, Alpha Search, Call History Redial	
Emergency call (user customised)	Tactical	Emergency Group Call to ATTACHED talks	
	Non-Tactical	Emergency Group Call to DEDICATED talkgroup	
	Individual	Emergency Call to PREDEFINED party (half/full duplex)	
	HOT MIC	Allows user to talk without needing to pro PTT (user enabled)	
Status Message	DM0 to TM0	Sent to dispatch console (user enabled) Enter DMO emergency (with/without gateway) or enter TMO emergency	
Preemptive Priority Calls			
PTT Double Push			
ENVIRONMENTAL SPECIFICATIONS			
Operating Temperature °C	-30 to +60*		
Storage Temperature °C	-40 to +85		
Humidity Dust and Water Ingress Protection	ETSI 300 019-1-7 class 7.3E IP67 and IP65 per IEC 60529		
Shock, drop and vibration	ETSI 300-019 1-7 class 5M3		
RECOMMENDED SERVICES	F101 000 013 1-1 01099 91819		

^{*} Operating temperature range for radio camera functionality to be confirmed.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license.

All other trademarks are the property of their respective owners. © 2014 Motorola Solutions, Inc. All rights reserved. Specifications are subject to change without notice. All specifications shown are typical.

MTP6000_CAMERA_SPECSHEET_UK_(06/14)



^{**}Availability may vary by country. Please check with your local Motorola representative for full details.